


















## Pepper - Platinum

### Platinum technology Pepper fertilization

Products recommended by EKOPLON experts



 Universal 0,3-0,5 kg/ha		 extra P 3-4 kg/ha
 mono Boron 1 l/ha		 extra P 3-4 kg/ha
		 extra Mg 3 kg/ha +  Universal 0,3-0,5 kg/ha
		 extra PK 3-4 kg/ha
		 Calcium 3-5 l/ha
		 extra PK 3-4 kg/ha
		 Calcium 3-5 l/ha

**Trust the experts. Trust EKOPLON.**

The above technology have been prepared as one of several possible options for optimal crop nutrition and is illustrative. If you have any questions regarding the details of the technology and the adjustment of the individual dosage of the indicated products, we invite you to contact our Team.

## From 2 weeks after planting the seedlings Beginning of fruit formation



MAXIMUS Platinum extra P



EKOLIST Calcium



MAXIMUS AminoMicro

## Fruit binding



MAXIMUS Platinum extra PK

## Before flowering



MAXIMUS Platinum extra P

## Fructification



EKOLIST mono Boron



EKOLIST Calcium

## During the growth



MAXIMUS Platinum extra Mg



MAXIMUS AminoMicro

## Full flowering



MAXIMUS Platinum extra PK